

# CUSTODIE

# ENCLOSURES


## EJB



ATEX



GOST-R (RTR) Exd IIB



Installazione: zona 1 / 2 / 21 / 22  
 Classificazione: II 2 GD

Installation: zone 1 / 2 / 21 / 22  
 Classification: II 2 GD

Esecuzione Execution	Apparecchiatura Equipment		Certificato Certificate
EEx-d IIB T3 - T6 IP65/66	Unita' di Alimentazione Supply Unit	ATEX GOST-R (RTR)	CES I 03 ATEX 053 POCC IT. 04.B00445
EEx-d IIB T6 IP65/66 EEx-d [ia] IIB T6 IP65/66 EEx-d [ib] IIB T6 IP65/66	Unita' di Derivazione Branching Unit	ATEX GOST-R (RTR)	CES I 02 ATEX 057 POCC IT. 04.B00445
EEx-d IIB T3 - T6 IP65/66 EEx-d [ia] IIB T3 - T6 IP65/66 EEx-d [ib] IIB T3 - T6 IP65/66	Unita' di Comando, contr. e segnalazione Control and signalling Unit	ATEX GOST-R (RTR)	CES I 02 ATEX 076 POCC IT. 04.B00445

### Caratteristiche :

Alluminio marino esente rame  
 Viteria esterna in acciaio inossidabile  
 Guarnizione o-Ring sul coperchio (a richiesta)

### Features:

Marine grade copper free aluminium  
 Stainless steel external screws  
 O-Ring gasket on cover (on request)

A.B. Controls & Technology Inc  
 1813 Rotary Drive, Humble, TX, 77338  
 Tel: 281-548-3424, Fax: 281-548-3624  
 Web: www.abtech-inc.com  
 Email: sales@abtech-inc.com



# EJB

Caratteristiche Tecniche - *Technical Features*

TIPO - TYPE  PARTICOLARE "A" <i>DETAIL "A"</i>	DIMENSIONI (mm) - DIMENSIONS (mm)								
	ESTERNE <i>OUTSIDE</i>			PIASTRA INT. <i>INT. PLATE</i>	INGOMBRO & FISSAGGIO <i>OVERALL &amp; FASTENING</i>				PESO <i>WEIGHT</i>
	A	B	C		G	H	I	Ø	Kg
EJB-1	210	210	185	150x150	270	240	182	9	8,00
EJB-2	255	365	195	190x300	340	300	325	10	17,00
EJB-3	310	470	210	240x400	395	355	432	10	23,00
EJB-51F	180	580	185	110x505	265	220	545	10	19,00
EJB-C237	165	235	155	105x175	225	200	207	9	6,00


TIPO - TYPE  PARTICOLARE "B" <i>DETAIL "B"</i>	DIMENSIONI (mm) - DIMENSIONS (mm)								
	ESTERNE <i>OUTSIDE</i>			PIASTRA INT. <i>INT. PLATE</i>	INGOMBRO & FISSAGGIO <i>OVERALL &amp; FASTENING</i>				PESO <i>WEIGHT</i>
	A	B	C		G	H	I	Ø	Kg
EJB-21A	285	245	169	180x140	248		160	12	10,50
EJB-30	410	310	165	350x250		300	298	12	18,50
EJB-31A	415	315	225	325x225	290		288	12	20,50
EJB-51A	565	365	260	460x260	351		360	13	36,50
EJB-61A	670	470	360	560x360	454		500	12	57,00
EJB-63A	670	470	250	560x360	454		500	12	47,00
EJB-81	970	730	470	770x520	490		730	13	164,00

# CUSTODIE

# ENCLOSURES

# EJB

Figure di Riferimento - Reference Details



Finestre in Vetro Applicabili sui Coperchi  
Applicable Glass Windows on Covers

CUSTODIA JUNCTION BOX	EJB-21	EJB-23	EJB-31	EJB-51	EJB-61/63	DIMENSIONI (mm) DIMENSIONS (mm)	
						A	B
FINESTRA WINDOW							
F1	X	X	X	X	X	60	60
F2	X	X	X	X	X	75	75
F3	X	X	X	X	X	110	75
F4	X	X	X	X	X	150	75
F5		X	X	X	X	150	150
F6			X	X	X	300	75
F7				X	X	300	150
F8					X	300	300
F9					X	450	300

